

## DS-D60E-B Digital Signage Player



- **Variable Materials** Supports static and dynamic materials, including the application, pictures, audio, video, PDF, streaming media, webpage, live video, third-party data, etc.
- **Flexible Program Schedule** Supports free schedule and district display of multiple materials. Supports variable display modes: display by day, display by week, custom display, etc.
- **Centralized Management** Remotely control and manage one or more screens, such as timed startup/shutdown, timed brightness/volume, and screenshot previewing.
- **Organization Feature** 5-level organization is available for managing materials, programs, terminals, and users.
- **Multilevel User Permission** Supports creating custom users, and allocating permission for users according to user level.
- **Multiple Security Safeguards** 3-level check of materials, programs, and schedules to prevent mistake release. Screensaver to secure safe for broadcast contents. Encryption of data storage and transmission to avoid data tampering.
- **Arbitrary Direction Remote Control** The remote control, adopting wireless communication in 433 MHz, can control the information distribution box in arbitrary direction.


## ▪ Specification

| Cabinet                        |                                                                                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Resolution                     | 1920 × 1080@30 Hz, 1920 × 1080@50 Hz, 1920 × 1080@60 Hz, 1280 × 720@30 Hz, 1280 × 720@50 Hz, 1280 × 720@60 Hz, 3840 × 2160@30 Hz, 3840 × 2160@50 Hz, 3840 × 2160@60 Hz        |
| Built-in System                |                                                                                                                                                                               |
| Operation System               | Android 8.1.0                                                                                                                                                                 |
| CPU                            | Cortex-A17, 4-core, main frequency 1.6 GHZ                                                                                                                                    |
| Memory                         | 2 GB                                                                                                                                                                          |
| Storage                        | 16 GB (EMMC)                                                                                                                                                                  |
| Interface                      |                                                                                                                                                                               |
| Video & Audio Input            | AUDIO IN × 1                                                                                                                                                                  |
| Video & Audio Output           | AUDIO OUT × 1, HDMI OUT × 1                                                                                                                                                   |
| Network Interface              | LAN × 1, Wi-Fi                                                                                                                                                                |
| Data Transmission Interface    | USB 2.0 × 2, Bluetooth 4.0                                                                                                                                                    |
| Power                          |                                                                                                                                                                               |
| Power Supply                   | 12 VAC, 2 A                                                                                                                                                                   |
| Standby Consumption            | ≤ 1 W                                                                                                                                                                         |
| Working Environment            |                                                                                                                                                                               |
| Working Temperature            | 0 °C to 40 °C (32 °F to 104 °F)                                                                                                                                               |
| General                        |                                                                                                                                                                               |
| Product Dimensions (W × H × D) | 145 mm × 145 mm × 31.89 mm (5.7" × 5.7" × 1.3")                                                                                                                               |
| Working humidity               | 10 % to 90 %                                                                                                                                                                  |
| Package Dimensions (W × H × D) | 188 mm × 176 mm × 101 mm (7.4" × 6.9" × 4.0")                                                                                                                                 |
| Net Weight                     | 0.6 kg (1.3 lb.)                                                                                                                                                              |
| Gross Weight                   | 0.65 kg (1.4 lb.)                                                                                                                                                             |
| Packing List                   | Power Adaptor × 1, Remote Control × 1                                                                                                                                         |
| Default Parameters             |                                                                                                                                                                               |
| Material                       | DAT, MPG, VOB, TS, AVI, MKV, MP4, MOV, 3GP, FLV, WEBM, WMV, ASF, MP1, MP2, MP3, WMA, WAV, OGG, OGA, FLAC, ACC, M4A, XMF, MXMF, RTTTL, RTX, OTA, IMY, JPG, JPEG, BMP, GIF, PNG |

## ▪ Available Model

DS-D60E-B

## ▪ Dimension



Unit: mm

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision\_Global



Hikvision  
Corporate Channel



hikvisionhq