



Camera Security / NVRs & Viewport

Network Video Recorder Instant



^ Overview

Dimensions	220 x 220 x 47 mm (8.7 x 8.7 x 1.9")
UniFi Application Suite	
Protect	✓
Access	✓
Managed Cameras	(15) HD (8) 2K (6) 4K
Storage Capacity	(1) 3.5" drive bay
Data Protection	✓
Vantage Point	✓
Networking Interface	(1) GbE RJ45 uplink port (6) GbE PoE RJ45 downlink ports (1) HDMI port (Viewport)
Form Factor	Compact Desktop
Mounting	Wall, Din rail mount (Included)
Door Access Support	✓

^ Hardware

Hard Drive Capacity	(1) 3.5" HDD support
Max. Power Budget for Drives	11W
Max. Power Consumption	9W ⓘ
Power Method	Universal AC input, 100-240VAC, 1.5A Max, 50/60 Hz
Power Supply	AC/DC, Internal, 60W
PoE Budget	40W
Max. PoE Wattage per Port by PSE	
└ PoE	15.4W
Voltage Range PoE Mode	44-57V
Processor	Quad-core ARM® Cortex®-A55 at 1.7 GHz
Memory	4 GB
Management	Ethernet Bluetooth
Display	1.14" screen
Weight	1.04 kg (2.3 lb)

Enclosure Material	Polycarbonate
Mount Material	Polycarbonate
LEDs	
Ethernet	✓
PoE	✓
Ambient Operating Temperature	0 to 40° C (32 to 104° F)
Ambient Operating Humidity	5 to 95% noncondensing
NDAA Compliant	✓
Certifications	FCC, IC, CE, Electrical Safety



