



Integrations / Managed VoIP G3 Touch Enterprise



^ Overview

Dimensions 256.5 x 139.5 x 185.3 mm
(10.1 x 5.5 x 7.3")

UniFi Application Suite

Talk		✓
Talk Relay		✓

Mounting Desktop

Integrated Camera ✓

Touch Screen Technology Multi-Touch

Bluetooth ✓

Available Colors Black

^ Mechanical

Weight 1.5 kg (3.3 lb)

Enclosure Material Polycarbonate, aluminum alloy (base)

^ Hardware

Connectivity	(2) GbE RJ45 ports 802.11 a/b/g/n/ac WiFi Bluetooth® 4.2 (General use) Bluetooth® 5.2 (Ubiquiti G3 Wireless Handset only) NFC support
Power Method	USB type-C PoE+
Max. Power Consumption	11W
Processor	Octa-core ARM® Cortex®-A53
Memory	Storage: 32 GB RAM: 2 GB
Camera	2592 x 1944, 5MP (Embedded privacy shutter)
Display	
Screen Surface Treatments	Anti-Glare Coating
Size	178 mm (7") diagonal
Resolution	1280 x 800 HD

Audio

Hands-Free Microphone	Dual omnidirectional MEMS microphone
Hands-Free Speaker	Dual 3W speaker
Handset Microphone	Omnidirectional electret condenser microphone
Handset Dynamic Receiver	Standard wideband-capable audio
Buttons	(1) Mute Button
Headset Support	3.5 mm (0.14") audio jack
LED	R/G/B/W
NFC Frequency	13.56 MHz
NFC Read Range	< 10 mm
NFC Technology	ISO/IEC 14443A / 14443B / 15693 / 18092 (Ecma 340) MIFARE Classic / MIFARE DESFIRE Sony FeliCa™ (ID only) NFC Forum tags T1T, T2T, T3T, T4T and T5T
Ambient Operating Temperature	0 to 40° C (32 to 104° F)
Ambient Operating Humidity	10 to 90% noncondensing
NDA Compliant	✓
Certifications	FCC, IC, CE

